| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|----------|--|---|---------------------|---------|------------------|
| L1 | 8 | generic near2 API\$2 near2 (command\$1 or call\$1 or instruction\$1) and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/27 10:22 |
| L2 | 20614524 | generic near2 Api\$2 same interface (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/27 10:23 |
| L3 | 98 | generic near2 Api\$2 same interface and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/27 10:23 |
| L4 | 28 | generic near2 Api\$2 same interface same user\$1 and (@ad<"20010215" or @rlad<"20010215") and generic near2 api\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/27 10:24 |
| S1 | 2 | "6594712".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/06 18:58 |
| S2 | 0 | "6594712".pn. and tcp\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/06 18:57 |
| S3 | 179 | rdma and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2006/09/06 18:59 |
| S4 | 189 | (rdma or (remote near direct near memory near access)) and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/27 10:16 |

| S5 | 64 | (rdma or (remote near direct near memory near access)) and tcp\$4 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 09:02 |
|-----|-----|--|---|----|----------|------------------|
| S6 | 45 | (rdma or (remote near direct near memory near access)) and tcp\$4 and (map\$4 or correlat\$4 or translat\$4) and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/06 19:01 |
| S7 | 20 | (rdma or (remote near direct near memory near access)) and tcp\$4 and (map\$4 or correlat\$4 or translat\$4) same queue\$1 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/06 19:09 |
| S8 | 0 | (rdma or (remote near direct near memory near access)) and (map\$4 or correlat\$4 or translat\$4) near15 (tcp\$4 or IP)same queue\$1 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF · | 2006/09/06 19:06 |
| S9 | 140 | (map\$4 or correlat\$4 or translat\$4) near15 (tcp\$4 or IP)same queue\$1 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/06 19:06 |
| S10 | 140 | (map\$4 or correlat\$4 or translat\$4) near15 (tcp\$4 or ip)same queue\$1 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/06 19:11 |
| S11 | 11 | (map\$4 or correlat\$4 or translat\$4) near15 (tcp\$4 or ip)same queue\$1 near10 server\$1 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/06 19:50 |
| S12 | 5 | (adapter or router or gateway or switch) near15(map\$4 or correlat\$4 or translat\$4) near15 queue\$1 near10 server\$1 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/06 19:53 |

| S13 | 16 | (map\$4 or correlat\$4 or translat\$4) near15 connection\$1 near15 queue\$1 near3 (number\$1 or id\$1 or identifier\$1) and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/06 19:54 |
|-----|----|---|---|----|-----|------------------|
| S14 | 53 | (rdma or (remote near direct near memory near access)) and client\$1 and server\$1 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 09:03 |
| S15 | 25 | (rdma or (remote near direct near memory near access)) and client\$1 and server\$1 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 09:03 |
| S16 | 22 | (rdma or (remote near direct near memory near access)) and client\$1 and server\$1 and queue\$1 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 09:16 |
| S17 | 14 | (rdma or (remote near direct near memory near access)) and client\$1 and server\$1 and work near queue\$1 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 09:37 |
| S18 | 2 | (rdma or (remote near direct near memory near access)) and client\$1 and server\$1 and work near queue\$1.and tcp\$4 and infiniband and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 09:45 |
| S19 | 4 | (rdma or (remote near direct near memory near access)) and server\$1 and work near queue\$1 and tcp\$4 and infiniband and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 09:50 |
| S20 | 0 | server\$1 and work near queue\$1 same (ip or source) near2 address\$2 and tcp\$4 and infiniband and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 09:50 |

| S21 | 2 | (rdma or (remote near direct near memory near access)) and server\$1 and work near queue\$1 same (ip or source) near2 address\$2 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 09:53 |
|-----|----|--|---|----|-----|------------------|
| S22 | 2 | (rdma or (remote near direct near memory near access)) and work near queue\$1 same (ip or source) near2 address\$2 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 09:55 |
| S23 | 3 | server\$1 and work near queue\$1 same (ip or source) near2 address\$2 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 09:54 |
| S24 | 9 | server\$1 and (work near queue\$1 or WQ\$2) same (ip or source) near2 address\$2 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 09:58 |
| S25 | 8 | (rdma or (remote near direct near memory near access)) and ((work near queue\$1) or WQ\$3) same (ip or source) near2 address\$2 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 09:55 |
| S26 | 9 | (work near queue\$1 or WQ\$2) same (ip or source) near2 address\$2 and tcp\$4 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 09:59 |
| S27 | 14 | (work near queue\$1 or WQ\$2) same (ip or source) near2 address\$2 and (@ad<"20010215" or @rlad<"20010215") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 09:59 |
| S28 | 5 | (work near queue\$1 or WQ\$2) same (ip or source) near2 address\$2 and (@ad<"20010215" or @rlad<"20010215") not S26 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 10:01 |

| | | | | ··· | | |
|-----|-----|--|---|------|-----|------------------|
| S29 | 5 | (work near queue\$1 or WQ\$2) same (ip or source or native) near2 address\$2 and (@ad<"20010215" or @rlad<"20010215") not S26 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 10:02 |
| S30 | 5 | (work near queue\$1 or WQ\$2) same (ip or source or tcp\$4) near2 address\$2 and (@ad<"20010215" or @rlad<"20010215") not S26 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/07 10:02 |
| S31 | 0 | (work near queue\$1 or WQ\$2) same (ip or source or tcp\$4) near2 connection\$1 and (@ad<"20010215" or @rlad<"20010215") not S26 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR . | OFF | 2006/09/07 10:02 |
| S32 | 2 | "20010018349" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ÖR | OFF | 2006/09/25 17:14 |
| S33 | 2 | "6426959".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/25 17:14 |
| S34 | 2 | "20010018349" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 13:59 |
| S35 | 2 | "6687817".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:03 |
| S36 | 220 | register\$4 near15 device\$1 near20 lookup | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:04 |

| S37 | 146 | register\$4 near15 device\$1 near20 lookup and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:05 |
|-----|--------|---|---|----|-----|------------------|
| S38 | 0 | register\$4 near15 device\$1 near20 lookup and device\$1 near15 automatic\$6 near15 (search\$4 or discover\$4) near10 lookup and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:06 |
| S39 | 0 | register\$4 near15 device\$1 near20 lookup and automatic\$6 near15 (search\$4 or discover\$4) near10 lookup and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:07 |
| S40 | 4386 | connect\$4 near15 client\$1 near15 service\$1 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:08 |
| S41 | 0 | connect\$4 near15 client\$1 near15 service\$1 and automatic\$6 near15 (search\$5 or discover\$6 or detect\$4) near15 lookup and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:10 |
| S42 | . 0 | connect\$4 near15 client\$1 near15 service\$1 and automatic\$6 near15 (search\$5 or discover\$6 or detect\$4) near15 jini and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:10 |
| S43 | 24 | connect\$4 near15 client\$1 near15 service\$1 and automatic\$6 near15 (search\$5 or discover\$6 or detect\$4) and jini and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:17 |
| S44 | 229189 | automatic\$6 near15 (search\$5 or discover\$6 or detect\$4) lookup near5 service\$1 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:18 |

| S45 | 0 | automatic\$6 near15 (search\$5 or discover\$6 or detect\$4) near10 lookup near5 service\$1 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:19 |
|------------------|------|---|---|----|----------|------------------|
| S46 | 3794 | automatic\$6 near15 (search\$5 or discover\$6 or detect\$4) same register\$4 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:19 |
| S47 | 21 | automatic\$6 near15 (search\$5 or discover\$6 or detect\$4) same register\$4 near15 storage near2 device\$1 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:23 |
| S48 ⁻ | 0 | automatic\$6 near15 (search\$5 or discover\$6 or detect\$4) same register\$4 near15 nas near2 device\$1 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF · | 2006/09/26 14:23 |
| S49 | 1 | automatic\$6 near15 (search\$5 or discover\$6 or detect\$4) same register\$4 and nas near2 device\$1 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:24 |
| S50 | 6 | device\$1 near15 automatic\$6 near15 (search\$5 or discover\$6 or detect\$4) near15 directory and register\$4 near15 device\$1 near15 directory and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:28 |
| S51 | 993 | service\$1 near15 automatic\$6 near15 register\$6 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:29 |
| S52 | 113 | service\$1 near15 automatic\$6 near15 register\$6 and connect\$4 near15 client\$1 near15 service\$1 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:30 |

| | • | | • | • | | |
|-----|-------|---|---|----|-----|------------------|
| S53 | 71 | service\$1 near15 automatic\$6 near15 register\$6 and connect\$4 near15 client\$1 near15 service\$1 and (GUI or (graphical adj user adj interface)) and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:31 |
| S54 | 1 | service\$1 near15 automatic\$6 near15 register\$6 and connect\$4 near15 client\$1 near15 service\$1 and (GUI or (graphical adj user adj interface)) same new near2 (service\$1 or device\$1) and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:43 |
| S55 | 79 | automatic\$6 near15 discover\$4 same register\$6 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:44 |
| S56 | 78123 | automatic\$6 near15 discover\$4 same register\$6 network\$4 near3 device\$1 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:48 |
| S57 | 5 | automatic\$6 near15 discover\$4 same register\$6 same network\$4 near3 device\$1 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:47 |
| S58 | 2 | automatic\$6 near15 discover\$4 same register\$6 same network\$4 near3 device\$1 and nas and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:45 |
| S59 | | automatic\$6 near15 discover\$4 same register\$6 same network\$4 near3 device\$1 and register\$6 and(@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:48 |
| S60 | 1 | automatic\$6 near15 discover\$4 same register\$6 near15 storage near2 device\$1 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:51 |

| S61 | 32 | automatic\$6 near15 discover\$4 same register\$6 near12 device\$1 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:56 |
|-----|-----|--|---|----|-----|------------------|
| S62 | 754 | automatic\$6 near15 (discover\$4 or search\$4) same register\$6 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:57 |
| S63 | 0 | automatic\$6 near15 (discover\$4 or search\$4) same register\$6 near15 lookup and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:57 |
| S64 | · 6 | automatic\$6 near15 (discover\$4 or search\$4) same register\$6 near15 look\$up and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:58 |
| S65 | 12 | automatic\$6 near15 (discover\$4 or search\$4) same register\$6 near15 directory and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 14:59 |
| S66 | 1 | automatic\$6 near15 (discover\$4 or search\$4) same registér\$6 and nas near2 device\$1 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 15:00 |
| S67 | 5 | automatic\$6 near15 (discover\$4 or search\$4) same register\$6 near15 itself and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 15:01 |
| S68 | 7 | automatic\$6 near15 (discover\$4 or search\$4) same register\$6 and 709/220.ccls. and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 15:20 |

| | | | | 1 | | |
|-----|-----|--|---|----|-----|------------------|
| S69 | 49 | automatic\$6 near15 register\$6 and 709/220.ccls. and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 15:05 |
| S70 | . 0 | automatic\$6 near15 register\$6 and nas near2 device\$1 and 709/220.ccls. and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 15:05 |
| S71 | 1 | automatic\$6 near15 register\$6 near15 network\$2 near2 device\$1 and 709/220.ccls. and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 15:05 |
| S72 | 78 | service\$1 near director\$4 and 709/220.ccls. and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 15:21 |
| S73 | 0 | service\$1 near director\$4 and automatic\$6 near15 (search\$4 or discover\$4) near15 serice\$1 near director\$4 and 709/220.ccls. and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 15:22 |
| S74 | 0 | service\$1 near director\$4 and automatic\$6 near15 (search\$4 or discover\$4) near15 serice\$1 near director\$4 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 15:22 |
| S75 | 0 | service\$1 near director\$4 and automatic\$6 near15 (search\$4 or discover\$4) near15 service\$1 near director\$4 and 709/220.ccls. and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 15:22 |
| S76 | 14 | service\$1 near director\$4 and (search\$4 or discover\$4) near15 service\$1 near director\$4 and 709/220.ccls. and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 15:37 |

| S77 | 169 | automatic\$4 near15 configur\$6 near15 network\$4 and 709/220. ccls. and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 15:38 |
|-----|-----|--|---|----|-----|------------------|
| S78 | 78 | automatic\$4 near15 configur\$6 near15 network\$4 and discover\$4 same register\$4 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 15:39 |
| S79 | 21 | automatic\$4 near15 configur\$6 near15 network\$4 and discover\$4 same register\$4 same directory and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 15:51 |
| S80 | 235 | automatic\$4 near15 configur\$6 near15 network\$4 and search\$4 same (regist\$5 or directory) and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 15:53 |
| S81 | 29 | automatic\$4 near15 configur\$6 near15 network\$4 and search\$4 near15 (regist\$5 or directory) near15 register\$6 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 15:52 |
| S82 | 15 | automatic\$4 near15 configur\$6 near15 network\$4 and automatic\$6 near15 search\$4 same (regist\$5 or directory) and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 17:14 |
| S83 | 144 | jini same look\$up and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 17:15 |
| S84 | 46 | jini same look\$up and discover\$4 same join\$4 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 17:15 |

| S85 | 43 | jini same look\$up and discover\$4 same join\$4 same look\$up and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 17:15 |
|-----|----------|---|---|----|-----|------------------|
| S86 | 35 | jini same look\$up and discover\$4 same join\$4 same look\$up and api\$1 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 18:28 |
| S87 | 2 | "6426959".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 18:26 |
| S88 | 84 | jini same api\$1 and (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 18:28 |
| S89 | 20882695 | jini same api\$1 and gui same api\$1 (@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 18:30 |
| S90 | 16 | jini same api\$1 and gui same api\$1 and(@ad<"20010406" or @rlad<"20010406") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/09/26 18:30 |

9/27/06 1:26:09 PM Page 12